
# G7L Power Relay

## A High-capacity, High-dielectric-strength Relay Compatible with Momentary Voltage Drops

- No contact chattering for momentary voltage drops up to 50% of rated voltage.
- Wide-range AC-activated coil that handles 100 to 120 or 200 to 240 VAC at either 50 or 60 Hz.
- Miniature size for maximum switching power, particularly for inductive loads
- Flame-resistance materials (UL94V-0-qualifying) used for all insulation material.
- Quick-connect, screw, and PCB terminals, and DIN track mounting available.
- Conforms to UL, CSA, TUV and meets IEC950.
- Safety design with contact gap of 3 mm.

**RoHS Compliant** 



Note. Accessories: E-bracket, Adapter, Front-connecting socket and Cover sold separately.

## ■Model Number Legend

1. Number of Poles 3. Terminal Shape

1: 1 pole T 2: 2 poles

**2. Contact Form** A: □PST-NO

T: Quick connect terminals (#250)

B: Screw terminals

P: PCB terminals

#### 4. Mounting Construction

Blank: E-bracket UB: Upper bracket

5. Special Functions
J: With test button

## **■**Model Configuration

		Terminal	Quick-connect terminals	Screw terminals	PCB terminals
					⊳
Classification		Contact form			
E-bracket		SPST-NO	G7L-1A-T	G7L-1A-B	_
mounting	_	DPST-NO	G7L-2A-T	G7L-2A-B	-
(E-bracket is	With test	SPST-NO	G7L-1A-TJ	G7L-1A-BJ	_
sold separately)	button	DPST-NO	G7L-2A-TJ	G7L-2A-BJ	_
		SPST-NO	G7L-1A-TUB	G7L-1A-BUB	_
Upper bracket	_	DPST-NO	G7L-2A-TUB	G7L-2A-BUB	_
mounting	With test	SPST-NO	G7L-1A-TUBJ	G7L-1A-BUBJ	_
	button	DPST-NO	G7L-2A-TUBJ	G7L-2A-BUBJ	_
PCB mounting		SPST-NO	-	_	G7L-1A-P
FOB Indunting	_	DPST-NO	-	_	G7L-2A-P

## ■Application Examples

- · Compressors for air conditioners and heater switching controllers.
- Switching controllers for power tools or motors.
- · Power controllers for water heaters.
- · Power controllers for dryers.
- Lamp controls, motor drivers, and power supply switching in copy machines, facsimile machines, and other office equipment.
- · Lighting controllers.
- Power controllers for packers or food processing equipment.
- · Magnetron control in microwaves.
- Power controllers for Uninterruptible Power Supply (UPS)

## **■**List of E-bracket Mounting Models

			Mounting	E-brackets	DIN Track Mounting Adapter	Front-connecting Socket
Terminal	Contact form	Model	Test button			
Tomman	SPST-NO	G7L-1A-T	_	0	0	0
Quick-		G7L-1A-TJ	With test button	0	0	0
connect			Willi lest bullon			
terminals	DPST-NO	G7L-2A-T	_	0	0	0
terrilliais	DF31-NO	G7L-2A-TJ	With test button	0	0	0
	SPST-NO	G7L-1A-B	_	0	0	_
Screw	3531-110	G7L-1A-BJ	With test button	0	0	_
terminals	DPST-NO	G7L-2A-B	-	0	0	_
	DF31-NO	G7L-2A-BJ	With test button	0	0	-

Note. Accessories: E-bracket (R99-07), Adapter (P7LF-D), Front-connecting socket (P7LF-06) and Cover (P7LF-C) sold separately.

### **■**Ordering Information

#### E-bracket/Adapter/Socket Mounting Quick-connect Terminal

Number of poles	Model	Rated coil voltage	Minimum packing unit
1 pole	G7L-1A-T	AC: 12, 24, 100/120, 200/240	
I pole   G/L-IA-	G/L-IA-I	DC: 6, 12, 24, 48, 100	20 pcs./tray
2 poles	poles G7L-2A-T	AC: 12, 24, 50, 100/120, 200/240	20 pcs./iray
2 poles	G/L-2A-1	DC: 6, 12, 24, 48, 100	]

#### Upper Bracket Mounting Quick-connect Terminal

Number of poles	Model	Rated coil voltage	Minimum packing unit
1 pole G7L-1A-TUB 2 poles G7L-2A-TUB	AC: 12, 24, 100/120, 200/240		
	G/L-IA-IUB	DC: 6, 12, 24, 48, 100	20 pcs./tray
	CZL 2A TUD	AC: 12, 24, 50, 100/120, 200/240	20 pcs./tray
2 poles	G/L-ZA-TUB	DC: 6, 12, 24, 48, 100	

#### E-bracket/Adapter Mounting Screw Terminal

Number of poles	Model	Rated coil voltage	Minimum packing unit
1 pole	G7L-1A-B G7L-2A-B	AC: 12, 24, 100/120, 200/240	
i pole		DC: 6, 12, 24, 48, 100	20 noo /trov
Onoloo		AC: 12, 24, 100/120, 200/240	20 pcs./tray
2 poles	G/L-ZA-B	DC: 12, 24, 48, 100	

#### **Upper Bracket Mounting** Screw Terminal

Number of poles	Model	Rated coil voltage	Minimum packing unit
1 pole	G7L-1A-BUB	AC: 24, 100/120, 200/240	
i pole	G/L-TA-BUB	DC: 6, 12, 24, 48, 100	20 pcs./tray
2 poles	2 poles G7L-2A-BUB	AC: 12, 24, 50, 100/120, 200/240	20 pcs./iray
2 poles	G/L-ZA-BUB	DC: 6, 12, 24, 48, 100	

#### **PCB Mounting**

Number of poles	Model	Rated coil voltage	Minimum packing unit
1 nole	1 pole <b>G7L-1A-P</b> 2 poles <b>G7L-2A-P</b>	AC: 100/120, 200/240	
i pole		DC: 12, 24, 48, 100	20 pcs./tray
2 poles		AC: 24, 100/120, 200/240	20 pcs./iiay
2 poles	G/L-ZA-P	DC: 6, 12, 24, 48, 100	

#### **DIN Track Mounting Accessories**

Applicable products	Name	Model	Minimum packing unit
		PFP-100N	
	DIN Track	PFP-50N	
Adaptor Surface Connection Socket		PFP-100N2	10 pcs.
Connection Socket	End plate	PFP-M	1
	Spacer	PFP-S	

Note. Order the models above in increments of the minimum quantity packaged.

#### E-bracket/Adapter/Socket Mounting (with test button) Quick-connect Terminal

Number of poles	Model	Rated coil voltage	Minimum packing unit
1 pole	G7L-1A-TJ	AC: 24, 100/120, 200/240	
i pole	G/L-IA-IJ	DC: 12, 24, 48, 100	20 pcs./tray
2 poles	G7L-2A-TJ	AC: 24, 100/120, 200/240	20 pcs./ilay
2 poles	G/L-2A-10	DC: 6, 12, 24, 48, 100	

# Upper Bracket Mounting (with test button) Quick-connect Terminal

Number of poles	Model	Rated coil voltage	Minimum packing unit
1 pole G7L-1A-TUE	C7L 1A TUR I	AC: 24, 100/120, 200/240	
	G/L-IA-IUBJ	DC: 6, 12, 24, 48, 100	20 pcs./tray
O noloo	CZL OA TUB I	AC: 12, 24, 50, 100/120, 200/240	20 pcs./tray
2 poles G7L-2A-TUBJ		DC: 6, 12, 24, 48, 100	

# E-bracket/Adapter Mounting (with test button) Screw Terminal

Number of poles	Model	Rated coil voltage	Minimum packing unit
1 pole	G7L-1A-BJ	AC: 12, 24, 100/120, 200/240	
I pole G/L-IA-BJ	DC: 12, 24	DC: 12, 24	20 pcs./tray
2 poles	G7L-2A-BJ	AC: 24, 100/120, 200/240	20 pcs./ilay
z poies	G/L-ZA-BJ	DC: 12, 24, 48, 100	

#### Upper Bracket Mounting (with test button) Screw Terminal

	Number of poles	Model	Rated coil voltage	Minimum packing unit
	1 pole	1 pole G7L-1A-BUBJ	AC: 24, 100/120, 200/240	
	i pole	G/L-TA-BUBS	DC: 6, 12, 24, 48	20 pcs./tray
Ī	Onalaa	s G7L-2A-BUBJ	AC: 24, 100/120, 200/240	20 pcs./iray
	2 poles	G/L-ZA-BUBJ	DC: 6, 12, 24, 48, 100	

Note 1. When ordering, add the rated coil voltage to the model number. Example: G7L-1A-T AC12

 $\begin{tabular}{ll} \hline & Rated coil voltage \\ However, the notation of the coil voltage on the product case as well as on the packing will be marked as $\Box\Box$ VDC. \\ \end{tabular}$ 

Note 2. Refer to the precautions on PCB Relays provided in General Information of the Relay Product Data Book, and "w -□-3" for coil characteristics of AC operation.

#### E-bracket/Adaptor/Socket/Cover

Applicable Relay models	Name	Model	Minimum packing unit
G7L-1A-T G7L-1A-TJ G7L-1A-B G7L-1A-BJ	E-bracket	R99-07	10 pcs.
G7L-2A-T G7L-2A-TJ G7L-2A-B G7L-2A-BJ	Adapter	P7LF-D	1 pcs.
G7L-1A-T G7L-1A-TJ G7L-2A-T G7L-2A-TJ	Front-connecting Socket	P7LF-06	1 pcs.
G7L-1A-B G7L-1A-BJ G7L-1A-BUB G7L-1A-BUBJ G7L-2A-B G7L-2A-BJ G7L-2A-BUB G7L-2A-BUB	Cover	P7LF-C	1 pcs.

Note. Order the models above in increments of the minimum quantity packaged.

### ■Ratings

#### Coil

Item	Rated current	Coil resistance	Coil induc	ctance (H)	Must operate voltage	Must release voltage	Max. permissible voltage	Power consumption
Rated voltage	(mA)	(Ω)	Armature ON	Armature OFF	On the b	pasis of rated	voltage	(VA-Ŵ)
12 VAC	142							
24 VAC	71				75% max.	15% min.	110%	Annuar 1 7
50 VAC	34							Approx. 1.7 to 2.5
100 to 120 VAC	17.0 to 20.4		/		75 V max.	18 V min.	132 V	10 2.5
200 to 240 VAC	8.5 to 10.2	ľ	ľ	ľ	150 V max.	36 V min.	264 V	
6 VDC	317	18.9	0.09	0.21				
12 VDC	158	75	0.37	0.88	1			
24 VDC	79	303	1.42	3.54	75% max.	15% min.	110%	Approx. 1.9
48 VDC	40	1220	6.1	15.3	1			
100 VDC	19	5260	21.3	60.0	1			

- Note 1. The rated current and coil resistance are measured at a coil temperature of 23°C with tolerances of +15%/-20% for AC rated current and ±15% for DC coil resistance.
  - 2. The inductances shown above are reference values.
  - 3. Performance characteristic data are measured at a coil temperature of 23°C.
  - 4. The maximum allowable coil voltage refers to the maximum value in a varying range of operating power voltage, measured at ambient temperature 23°C.

    5. The "to" (for example "100 to 120") represents the range of rated voltages.

#### Contacts

Contact Form	G7L-1A-T□ G7L-1A-B□		G7L-2A-T□ G7L-2A-B□		G7L-1A-P G7L-2A-P	
load	Resistive load	Inductive load (cos $\phi$ = 0.4)	Resistive load	Inductive load (cos    (cos   = 0.4)	Resistive load	Inductive load (cos    (cos   = 0.4)
Contact type	Double break					
Contact material	Ag alloy					
Rated load	30 A at 220 VAC	25 A at 220 VAC	25 A at 220 VAC 20 A at 220 VAC			220 VAC
Rated carry current	30	30 A 25 A 20 A			) A	
Max. switching voltage	250 VAC					
Max. switching current	30 A 25 A 20 A			) A		

Note. When using B-series (screw) products, since the screw diameter of the contact terminal is M4, be careful that the contact current should be 20 A or less according to JET standard (electrical appliance and material control law of Japan).

#### **■**Characteristics

Contact resi		50 mΩ max.	
Operate time *2		30 ms max.	
Release time *3		30 ms max.	
Max. operating	Mechanical	1,800 operations/hr	
frequency	Rated load	1,800 operations/hr	
Insulation re	sistance *3	1,000 MΩ min	
	Between coil and contacts	4,000 VAC min., 50/60 Hz for 1 min	
Dielectric strength	Between contacts of same polarity	2,000 VAC, 50/60 Hz for	
Strongth	Between contacts of different polarity (DPST-NO model)	1 min	
Impulse with	stand voltage	10,000 V between coil and contact *4	
Vibration	Destruction	10 to 55 to 10 Hz, 0.75 mm single amplitude (1.5 mm double amplitude)	
resistance	Malfunction	10 to 55 to 10 Hz, 0.75 mm single amplitude (1.5 mm double amplitude)	
Shock	Destruction	1,000 m/s <sup>2</sup>	
resistance	Malfunction	100 m/s <sup>2</sup>	
	Mechanical	1,000,000 operations min. (at 1,800 operations/hr)	
Endurance Electrical *5		100,000 operations min. (at 1,800 operations/hr under rated load)	
Failure rate (P level) (reference value *6)		100 mA at 5 VDC	
Weight		Approx. 90 g: Quick-connect terminal models Approx. 100 g: PCB terminal models Approx. 120 g: Screw terminal models	

- Note. \*1.
- The values given above are initial values.

  Measurement conditions: 5 VDC, 1 A, voltage drop method.
- method.

  Measurement conditions: Rated operating voltage applied, not including contact bounce.

  Ambient temperature: 23°C

  Measurement conditions: The insulation resistance was measured with a 500-VDC megohmmeter at the same locations as the dielectric strength was measured.

  JEC-212 (1981) Standard Impulse Wave Type (1.2×50µs).

  Ambient temperature: 23°C


  This value was measured at a switching frequency of 60 operations/min. \*2.
- \*3.

- operations/min.


	Ambient operating temperature	-25°C to 60°C (with no icing or condensation)
I	Ambient operating humidity	5% to 85%
Į	Ambient operating numbers	3 /6 10 63 /6

## **■**Engineering Data


## G7L-1A-T (TJ) (TUB) (TUBJ) G7L-1A-B (BJ) (BUB) (BUBJ) Maximum Switching Power




#### **Endurance**




#### G7L-2A-T (TJ) (TUB) (TUBJ) G7L-2A-B (BJ) (BUB) (BUBJ) Maximum Switching Power




#### **Endurance**




G7L-1A-P G7L-2A-P **Maximum Switching Power** 




**Endurance** 




#### Ambient Temperature vs. Operate and Release Voltage **G7L-1A** VAC (60 Hz)




G7L-1A VDC




#### Ambient Temperature vs. Coil Temperature Rise G7L-1A 120 VAC (50 Hz)




G7L-1A VDC




#### Shock Malfunction G7L-2A-T (TUB) 100 to 120 VAC




#### Momentary Voltage Drop Test G7L-2A-T (TUB) 100 to 120 VAC Test Circuit



#### Wave resulted from test




# Voltage distribution of wave e which chattering does not occur.




## Characteristic variation resulted from different mounting directions G7L-2A-T (TUB) 100 to 120 VAC

#### Operate time


G 7 L




#### Release time



#### Operate voltage



#### Release voltage




#### (Note.) The mounting direction A' deteriorates switching performance.


### Actual Load Endurance Test G7L-2A 100 to 200 VAC

#### **Operate and Release voltages**

## N = 5



### Contact resistance



## Operate and Release voltages


© 70 Operate N = 5

60 Operate voltage N = 5

0 Operate voltage N = 5


Release voltage

#### **Contact resistance**



#### **Load conditions**

#### • 1 $\varphi$ 220 VAC



Applied coil voltage: 100% of rated voltage

Load conditions • 1  $\varphi$  220 VAC


N = 5




Applied coil voltage: 100% of rated voltage

#### G7L-2A 100 to 200 VAC

## **Operate and Release voltages**




#### Contact resistance




## **Operate and Release voltages**

# N = 5



#### **Contact resistance**




#### Load conditions

• 1 \$ 220 VAC



Applied coil voltage: 75% of rated voltage

### Load conditions



Applied coil voltage: 75% of rated voltage


### **■**Dimensions


#### ● E-bracket Mounting **Quick-connect Terminals**

Note. E-brackets are sold separately.

#### G7L-1A-T







#### **Terminal Arrangement/ Internal Connections**


(Top View)




(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

#### G7L-2A-T










(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram


#### **Mounting Holes**



#### G7L-1A-TJ (with Test Button)











(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

G7L-2A-TJ (with Test Button)










(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

#### Adapter Mounting **Quick-connect Terminals**

Note 1. The DIN Track Mounting Adapter and DIN tracks are sold separately. 2. The DIN Track Mounting Adapter can be track-mounted or screw-mounted.

### G7L-1A-T **Terminal Arrangement/** Internal Connections P7LF-D PFP-□N (Top View) (No coil polarity) 55.5 max 63 max Note. Refer to page 12 for the coil internal connection diagram 66.5 max




#### **Mounting Holes**





G7L-1A-TJ (with Test Button)





PFP-□N







Note. Refer to page 12 for the coil internal connection diagram

G7L-2A-TJ (with Test Button)









Note. Refer to page 12 for the coil internal connection diagram


#### Front-connecting Socket Mounting **Quick-connect Terminals**


Note 1. The Front-connecting Socket and DIN tracks are sold separately. 2. The Front-connecting Socket can be track-mounted or screw-mounted.












Internal Connections


(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram


**Mounting Holes** 














(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram





PFP-IN 2-M3.5 × 6 (coil side)

P7LF-06

G7L

Test button
61.5 max.

4-M4 × 8 (contact side)

65 max

Terminal Arrangement/ Internal Connections (Top View)




(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

Mounting Holes



G7L-2A-TJ (with Test Button)








(No coil polarity)


Note. Refer to page 12 for the coil internal connection diagram

#### Upper Bracket Mounting Quick-connect Terminals










Terminal Arrangement/ Internal Connections (Top View)





(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

G7L-2A-TUB











(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram


Mounting Holes




# G7L-1A-TUBJ (with Test Button)












(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

G7L-2A-TUBJ (with Test Button)










(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

● E-bracket Mounting

#### G7L-1A-B



2-M3.5 × 6 (coil side) 52.5 max. 50.5 max.



Terminal Arrangement/ Internal Connections


(Top View)




(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

G7L-2A-B










(No coil polarity)
Note. Refer to page 12 for the coil internal connection diagram


**Mounting Holes** 



G7L-1A-BJ (with Test Button)











(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

G7L-2A-BJ (with Test Button)










(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram


#### Adapter Mounting Screw Terminals


Note 1. The DIN Track Mounting Adapter and DIN tracks are sold separately.

2. The DIN Track Mounting Adapter can be track-mounted or screw-mounted.

#### G7L-1A-B







#### Terminal Arrangement/ Internal Connections

(Top View)




(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram


**Mounting Holes** 




#### G7L-2A-B








(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram







#### Terminal Arrangement/ Internal Connections



(No coil polarity)

Note. Refer to page 12 for the coil internal connection diagram


Mounting Holes

Two, M4 or 4.5-dia.

40±0.1

G7L-2A-BJ (with Test Button)









(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

#### Upper Bracket Mounting Screw Terminals


#### G7L-1A-BUB








Terminal Arrangement/ Internal Connections (Top View)





(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

G7L-2A-BUB











(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram


#### **Mounting Holes**




## G7L-1A-BUBJ (with Test Button)












(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

## G7L-2A-BUBJ (with Test Button)










(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram

#### G7L-1A-P








#### Terminal Arrangement/ Internal Connections (Bottom View)





(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram



G7L-2A-P








Two, 4.5-dia. hole

#### Terminal Arrangement/ Internal Connections




(No coil polarity) Note. Refer to page 12 for the coil internal connection diagram


PCB Mounting Holes (Bottom View) Tolerance: ±0.1 mm



#### ● E-bracket R99-07 (E KANAGU) FOR G7L









#### **Mounting Holes**



# ● Adapter P7LF-D










#### **Mounting Holes**



## Front-connecting SocketP7LF-06











#### ● Cover P7LF-C







Put the P7LF-C cover onto the terminals in order to protect the user from electric shock.

### **Approved Standards**

 $\cdot$  A variety of Safety Standard approved products for standard models.

### UL Recognized (File No. E41643)

Model	Coil ratings	Contact ratings	Number of test operations
		30 A, 277 VAC (RES) 40°C	100,000
G7L-1A-T□		1.5 kW, 120 VAC (T) 40°C	6,000
G7L-1A-B□ G7L-1A-P	12 to 240 VAC	1.5 HP, 120 VAC 40°C	1,000
G7L-1A-P	6 to 220 VDC	3 HP 277 VAC 40°C	100,000
G7L-2A-1□	6 10 220 VDC	20 FLA/120 LRA, 120 VAC 40°C	30.000
G7L-2A-P		17 FLA/102 LRA, 277 VAC 40°C	30,000
		TV-10, 120 VAC 40°C	25,000

### CSA certified (File No. LR31928)

Model	Coil ratings	Contact ratings	Number of test operations
		2.4 kW, 120 VAC (T) 40°C	6,000
	12 to 240 VAC	1.5 HP, 120 VAC (T) 40°C	1,000
G7L-1A-P	6 to 220 VDC	3 HP 277 VAC 40°C	1,000
	0 10 220 VDC	20.5 FLA/105 LRA, 120 VAC 85°C	100,000
		TV-10, 120 VAC 40°C	25,000
G7L-1A-T□		30 A, 277 VAC (RES) 40°C	100,000
G7L-1A-B□		2.4 kW, 120 VAC (T) 40°C	6,000
	12 to 240 VAC	1.5 HP, 120 VAC 40°C	1.000
G7L-2A-T□	6 to 220 VDC	3 HP 277 VAC 40°C	1,000
G7L-2A-B□		20.5 FLA/105 LRA, 120 VAC 85°C	100,000
G7L-2A-P		TV-10, 120 VAC 40°C	25,000

#### ●Reference

UL Approved Type .....

UL508 Industrial Control Devices

UL1950 Information processing equipment

(Including office equipment)

CSA Approved Type .....

CSA C22.2 No.1, 14

Industrial Control Devices

CSA C22.2 No.950 Information processing equipment

(Including office equipment)

TÜV EN/IEC Standard Approved Type.....

EN61810-1 Relay

### EN/IEC, TÜV Certified (Certificate No. R50059083)

Model	Coil ratings	Contact ratings	Approved switching operations
		SPST-NO (1a)	
G7L-1A-B□		30 A, 250 VAC ~ (cosφ = 1) 60°C	50,000
are in b		25 A, 250 VAC ~ (cosφ = 0.4) 60°C	30,000
		30 A, 120 VAC ~ $(\cos \phi = 0.4) 60^{\circ}$ C	
		DPST-NO (2a)	
G7L-2A-B□		25 A, 277 VAC ~ (cosφ = 1) 60°C	50,000
		$25 \text{ A}, 277 \text{ VAC} \sim (\cos \phi = 0.4) 60^{\circ}\text{C}$	
		SPST-NO (1a)	
		25 A, 240 VAC ~ (cosφ = 1) 60°C	
G7L-1A-T□		25 A, 240 VAC ~ (cosφ = 0.4) 60°C	50,000
	6, 12, 24, 48,	25 A, 277 VAC ~ (cosφ = 1) 60°C	
	100, 110, 200,	25 A, 277 VAC ~ (cosφ = 0.4) 60°C	
	220 VDC	DPST-NO (2a)	
	12, 24, 50,	25 A, 240 VAC ~ (cosφ = 1) 60°C	
G7L-2A-T□	100 to 120,	25 A, 240 VAC ~ (cosφ = 0.4) 60°C	50,000
	200 to 240 VAC	25 A, 277 VAC ~ (cosφ = 1) 60°C	
	VAC	25 A, 277 VAC ~ (cosφ = 0.4) 60°C	
		SPST-NO (1a)	
		20 A, 240 VAC ~ (cosφ = 1) 60°C	
G7L-1A-P		$20 \text{ A}, 240 \text{ VAC} \sim (\cos\phi = 0.4) 60^{\circ}\text{C}$	50,000
		25 A, 277 VAC ~ (cosφ = 1) 60°C	
		25 A, 277 VAC ~ (cos\phi = 0.4) 60°C	
		DPST-NO (2a)	
071 04 D		20 A, 240 VAC ~ (cosφ = 1) 60°C	50.000
G7L-2A-P		20 A, 240 VAC ~ (cosφ = 0.4) 60°C	50,000
		25 A, 277 VAC ~ (cosφ = 1) 60°C	
		25 A, 277 VAC ~ (cosφ = 0.4) 60°C	

#### ■Precautions

#### ● Please refer to "PCB Relays Common Precautions" for general precautions.

#### **Correct Use**

#### Installation

- Although there are not specific limits on the installation site, it should be as dry and dust-free as possible.
- Using in an atmosphere of high temperature, high humidity and corrosive gas may deteriorate its performance characteristic caused by condensation or corrosive products, resulting in failure or burn damage of the Relay.
- PCB Terminal-equipped Relays weigh approximately 100 g.
   Be sure that the PCB is strong enough to support them. We recommend dual-side through-hole PCBs to reduce solder cracking from heat stress.
- Relays with test buttons must be mounted facing down.
   Be careful not to touch the test button accidentally. Doing so may turn ON the contact.
- Be sure to use the test button for test purposes only (with test-button models). The test button is used for Relay circuit tests, such as circuit continuity tests. Do not attempt to switch the load with the test button.

#### Micro Loads

 The G7L is used for switching power loads, such as motor, transformer, solenoid, lamp, and heater loads. Do not use the G7L for switching micro loads, such as signals.

#### Soldering PCB Terminals

- Do not perform automatic soldering but solder manually.
- Solder with the following conditions: Soldering iron temperature (max.) 380°C, Soldering time within 10 seconds.
- Do not wash down the entire Relay because it does not have an airtight construction.

#### Connecting

 Refer to the following table when connecting a wire with a crimpstyle terminal to the G7L.

	Screw terminals	Front-connecting Socket
Coil	5.8 5 M3.5	8 6.5 5.3 M3.5
Contact	5.5 6.5	M4 5.5 7 9.2

- Allow suitable slack on leads when wiring, and do not apply excessive force to the terminals.
- Tightening torque

When connecting with screws, if the screws are not sufficiently tightened, the lead wire can become detached and may lead to abnormal heating or fire caused by faulty contact.

Mounting Torque

 0.98N · m
 Tighten with two M4 screws when mounting.
 (Top bracket type)

- Do not apply excessive force when mounting or dismounting the Faston receptacle. Insert and remove terminals carefully one at a time. Do not insert terminals at an angle, or insert/remove multiple terminals at the same time.
- Do not connect to the terminals by soldering
- Refer to the following table for recommendations of connectors made by OMRON.

Туре	Receptacle terminals	Housing
#250 terminals (width: 6.35 mm)	XT3W-S441-12 XT3W-S442-12 XT3W-S443-12	XT3B-1S white

Note. The current should be 25 A when using receptacle terminals.


#### Reference Data


 The ratio of rated voltage between 100 to 120 VAC are values measured on the basis of 100 VAC.

#### Operating Coil

(Coil internal connections diagram)

DC Coil





 The AC coil is provided with a built-in full-wave rectifier. If a triac, such as an SSR, drives the G7L, the G7L may not release. Be sure to perform a trial operation with the G7L and the triac before applying them to actual use.

#### DIN Track Mounting Adapter and Front-connecting Socket

(DIN Track Mounting)

- The DIN Track Mounting Adapter and Front-connecting Socket can be mounted on the G7L with just one hand and dismounted with ease by using a screwdriver.
- To support the G7L mounted on a DIN Track Mounting Adapter or Front-connecting Socket, use the PFP-M End Plate. Put the End Plate onto the DIN Track Mounting Adapter or Front-connecting Socket so that the surface mark of the End Plate faces upwards. Then tighten the screw of the End Plate securely with a screwdriver.

#### (Screw Mounting)

- Screw-mount the DIN Track Mounting Adapter or Front-connecting Socket securely after opening screw mounting holes on them.
- When cutting or opening holes on the panel after the Front-connecting Socket is mounted, take proper measures so that the cutting chips will not fall onto the Relay terminals. When cutting or opening holes on the upper part of the panel, mask the Front-connecting Socket properly with a cover.

Note: Do not use this document to operate the Unit.

Contact: www.omron.com/ecb

**OMRON Corporation** 

Application examples provided in this document are for reference only. In actual applications, confirm equipment functions and safety before using the product.
 Consult your OMRON representative before using the product under conditions which are not described in the manual or applying the product to nuclear control systems, railroad systems, aviation systems, vehicles, combustion systems, medical equipment, amusement machines, safety equipment, and other systems or equipment that may have a serious influence on lives and property if used improperly. Make sure that the ratings and performance characteristics of the product provide a margin of safety for the system or equipment, and be sure to provide the system or equipment with double safety mechanisms.

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

### Omron:

G7L-1A-BJ-CB-AC100/120 G7L-2A-TJ-CB-DC24 G7L-2A-TJ-CB-DC12 G7L-1A-BJ-CB-DC24 G7L-1A-BJ-CB-DC12 G7L-1A-TUBJ-CB-DC24 G7L-2A-TUBJ-CB-DC24 P7LF-D G7L-2A-TUB-CB-AC100/120 G7L-2A-BJ-CB-AC100/120 G7L-2A-TUB-CB-DC24 G7L-2A-TUBJ-CB-DC12 G7L-2A-BJ-CB-DC12 G7L-2A-P-CB-DC24 G7L-2A-TUBJ-CB-AC200/240 G7L-2A-TUBJ-CB-AC100/120 G7L-2A-BJ-CB-DC24 G7L-1A-TJ-CB-AC24 G7L-2A-TJ-CB-AC200/240 G7L-2A-TJ-CB-AC100/120 G7L-2A-TUBJ-CB-AC24 G7L-1A-TUBJ-CB-AC24 G7L-2A-BUBJ-CB-DC24 G7L-2A-BUBJ-CB-DC12 G7L-1A-TCB-AC100/120 G7L-2A-BUBJ-CB-AC100/120 G7L-2A-BUBJ-CB-AC200/240 G7L-2A-BUBJ-CB-AC24 G7L-2A-TJ-CB-DC48 G7L-2A-P-CB-DC12 G7L-1A-TJ-CB-DC24 G7L-1A-TJ-CB-DC12 G7L-1A-TUBJ-CB-AC200/240 G7L-1A-TUBJ-CB-AC100/120 G7L-1A-TUB-J-CB-DC12 G7L-2A-P-CB-AC100/120 G7L-2A-P-CB-AC200/240 G7L-2A-TUB-CB-AC200/240 G7L-1A-BUBJ-CB AC24 G7L-1A-BUBJ-CB AC100/120 G7L-1A-TUB-J-CB-DC24 G7L-1A-TUB-CB-AC100/120 G7L-1A-BUBJ-CB-DC12 G7L-1A-BUBJ-CB-DC24 G7L-1A-B-CB-DC24 PYC G7L-1A-B-CB-AC200/240 G7L-1A-B-CB-DC48 G7L-1A-BUB-CB-AC200/240 G7L-1A-BUB-J-CB-AC200/240 G7L-1A-P-CB DC12 G7L-1A-P-CB-AC100/120 G7L-1A-P-CB-DC100 G7L-1A-P-CB-DC24 G7L-1A-T-80-CB AC200/240 G7L-1A-T-CB-AC12 G7L-1A-T-CB-AC200/240 G7L-1A-T-CB-AC24 G7L-1A-T-CB-AC50 G7L-1A-T-CB-DC100 G7L-1A-T-CB-DC12 G7L-1A-T-CB-DC24 G7L-1A-T-CB-DC48 G7L-1A-T-CB-DC6 G7L-1A-T-J-CB-AC12 G7L-1A-T-J-CB-AC200/240 G7L-1A-T-J-CB-AC50 G7L-1A-T-J-CB-DC100 G7L-1A-T-J-CB-DC6 G7L-1A-T-M1 DC24 G7L-1A-TUB-CB-AC12 G7L-1A-TUB-CB-AC200/240 G7L-1A-TUB-CB-AC24 G7L-1A-TUB-CB-AC50 G7L-1A-TUB-CB-DC100 G7L-1A-TUB-CB-DC12 G7L-1A-TUB-CB-DC24 G7L-1A-TUB-CB-DC48 G7L-1A-TUB-CB-DC6 G7L-1A-TUB-J-CB-AC12 G7L-1A-TUB-J-CB-AC50 G7L-1A-TUB-J-CB-DC100 G7L-1A-TUB-J-CB-DC48 G7L-2A-B-CB-AC200/240 G7L-2A-B-CB-DC12 G7L-2A-B-CB-DC24 G7L-2A-B-J-CB-AC24 G7L-2A-B-J-CB-DC48 G7L-2A-BUB-CB DC18 G7L-2A-BUB-CB-AC100/120 G7L-2A-BUB-CB-AC200/240 G7L-2A-BUB-CB-AC24 G7L-2A-BUB-CB-DC24 G7L-2A-BUBJ-80-CB DC24 G7L-2A-BUBJ-CB-IN AC24 G7L-2A-BUBJ-CB-IN DC24 G7L-2A-P-80-CB AC100/120 G7L-2A-P-80-CB AC200/240 G7L-2A-P-80-CB DC100 G7L-2A-P-80-CB DC12