



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.04.2023

Version number 3.5 (replaces version 3.4)

Revision: 19.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **Loetlegierung Stratoloy Sn64Pb36**

Loetlegierung Stratoloy Sn63Pb37

Loetlegierung Stratoloy Sn60Pb40

1.2 Relevant identified uses of the substance or mixture and uses advised against

Drinking water installations, use in food technology. Use in medical technology. Temperatures > 500 ° C

Technical function soldering

Application of the substance / the mixture Brazing alloy

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Stannol GmbH & Co. KG
Haberstrasse 24
D-42551 Velbert

+49 (0) 2051 3120 332

sdb@stannol.de

Further information obtainable from: Product Safety Department

1.4 Emergency telephone number:

8:00 am - 5:00 pm (CET) +49 (0) 2051 3120 332

National Poisons Information Service

+44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Repr. 1A H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

STOT RE 1 H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS08

Signal word Danger

Hazard-determining components of labelling:

Lead

Hazard statements

H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

Precautionary statements

P201 Obtain special instructions before use.

(Contd. on page 2)

GB

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 19.04.2023

Version number 3.5 (replaces version 3.4)

Revision: 19.04.2023

**Trade name: Loetlegierung Stratoloy Sn64Pb36
Loetlegierung Stratoloy Sn63Pb37
Loetlegierung Stratoloy Sn60Pb40**

(Contd. of page 1)

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P263 Avoid contact during pregnancy and while nursing.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves / eye protection.
- P280 Wear protective clothing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH201A Warning! Contains lead.
Restricted to professional users.

2.3 Other hazards

metals:

After working with the product and before eating, drinking or smoking, wash your hands with soap and water.

Do not heat above 500 ° C.

May not get into the hands of children.

Results of PBT and vPvB assessment• **PBT:** Not applicable.• **vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures**• **Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 7439-92-1 EINECS: 231-100-4	Lead Repr. 1A, H360FD-H362; STOT RE 1, H372 EUH201A Specific concentration limit: Repr. 1A; H360D: C ≥ 0.03 %	15 - 45%
CAS: 7440-50-8 EINECS: 231-159-6	Copper, solid substance with a Community workplace exposure limit	≤ 1%

SVHC

CAS: 7439-92-1 | Lead

• **Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• **After inhalation:** Supply fresh air; consult doctor in case of complaints.• **After skin contact:** Generally the product does not irritate the skin.• **After eye contact:** Rinse opened eye for several minutes under running water.• **After swallowing:** If symptoms persist consult doctor.• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.• **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**• **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.04.2023

Version number 3.5 (replaces version 3.4)

Revision: 19.04.2023

Trade name: Loetlegierung Stratoloy Sn64Pb36
Loetlegierung Stratoloy Sn63Pb37
Loetlegierung Stratoloy Sn60Pb40

(Contd. of page 2)

- **5.2 Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** 6.1 C
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 7439-92-1 Lead

BOELV (EU)	Long-term value: 0.15 mg/m ³ as Pb
------------	--

CAS: 7440-50-8 Copper, solid

WEL (Great Britain)	Short-term value: 2** mg/m ³ Long-term value: 0.2* 1** mg/m ³ *fume **dusts and mists (as Cu)
---------------------	---

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Store protective clothing separately.

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.04.2023

Version number 3.5 (replaces version 3.4)

Revision: 19.04.2023

Trade name: Loetlegierung Stratoloy Sn64Pb36
Loetlegierung Stratoloy Sn63Pb37
Loetlegierung Stratoloy Sn60Pb40

(Contd. of page 3)

Respiratory protection:

Not necessary if room is well-ventilated.
Use suitable respiratory protective device in case of insufficient ventilation.
Filter P2

Hand protection

Protective gloves

Leather gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information**

Physical state	Solid
Colour:	Light grey
Odour:	Odourless
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Undetermined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	
water:	Insoluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not applicable.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.

(Contd. on page 5)

GB

**Safety data sheet**
according to 1907/2006/EC, Article 31

Printing date 19.04.2023

Version number 3.5 (replaces version 3.4)

Revision: 19.04.2023

Trade name: Loetlegierung Stratoloy Sn64Pb36
Loetlegierung Stratoloy Sn63Pb37
Loetlegierung Stratoloy Sn60Pb40

(Contd. of page 4)

· 9.2 Other information**· Appearance:****· Form:** Solid**· Important information on protection of health and environment, and on safety.****· Ignition temperature:** Product is not selfigniting.**· Explosive properties:** Product does not present an explosion hazard.**· Solvent content:****· Solids content:** 100.0 %**· Change in condition****· Evaporation rate** Not applicable.**· Information with regard to physical hazard classes****· Explosives** Void**· Flammable gases** Void**· Aerosols** Void**· Oxidising gases** Void**· Gases under pressure** Void**· Flammable liquids** Void**· Flammable solids** Void**· Self-reactive substances and mixtures** Void**· Pyrophoric liquids** Void**· Pyrophoric solids** Void**· Self-heating substances and mixtures** Void**· Substances and mixtures, which emit flammable****gases in contact with water** Void**· Oxidising liquids** Void**· Oxidising solids** Void**· Organic peroxides** Void**· Corrosive to metals** Void**· Desensitised explosives** Void**SECTION 10: Stability and reactivity****· 10.1 Reactivity** No further relevant information available.**· 10.2 Chemical stability****· Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**· 10.3 Possibility of hazardous reactions** No dangerous reactions known.**· 10.4 Conditions to avoid** No further relevant information available.**· 10.5 Incompatible materials:** No further relevant information available.**· 10.6 Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information****· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****· Acute toxicity** Based on available data, the classification criteria are not met.**· Reproductive toxicity** May damage fertility. May damage the unborn child. May cause harm to breast-fed children.**· STOT-repeated exposure**

Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

(Contd. on page 6)

GB

**Safety data sheet**
according to 1907/2006/EC, Article 31

Printing date 19.04.2023

Version number 3.5 (replaces version 3.4)

Revision: 19.04.2023

Trade name: Loetlegierung Stratoloy Sn64Pb36
Loetlegierung Stratoloy Sn63Pb37
Loetlegierung Stratoloy Sn60Pb40

(Contd. of page 5)

· **11.2 Information on other hazards**· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information· **12.1 Toxicity**· **Aquatic toxicity:** No further relevant information available.· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.· **12.5 Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.· **12.7 Other adverse effects**· **Additional ecological information:**· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations· **13.1 Waste treatment methods**· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**· **Recommendation:** Packagings that may not be cleansed are to be disposed of in the same manner as the product.**SECTION 14: Transport information**· **14.1 UN number or ID number**· **ADR, ADN, IMDG, IATA** not regulated· **14.2 UN proper shipping name**· **ADR, ADN, IMDG, IATA** not regulated· **14.3 Transport hazard class(es)**· **ADR, ADN, IMDG, IATA**· **Class** not regulated· **14.4 Packing group**· **ADR, IMDG, IATA** not regulated· **14.5 Environmental hazards:**

Not applicable.

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **UN "Model Regulation":**

not regulated

GB

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.04.2023

Version number 3.5 (replaces version 3.4)

Revision: 19.04.2023

Trade name: Loetlegierung Stratoloy Sn64Pb36
Loetlegierung Stratoloy Sn63Pb37
Loetlegierung Stratoloy Sn60Pb40

(Contd. of page 6)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

- **Hazard pictograms**



GHS08

- **Signal word** Danger

- **Hazard-determining components of labelling:**

Lead

- **Hazard statements**

H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

- **Precautionary statements**

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P263 Avoid contact during pregnancy and while nursing.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves / eye protection.

P280 Wear protective clothing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **National regulations:**

- **Substances of very high concern (SVHC) according to UK REACH**

CAS: 7439-92-1 | Lead

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H360FD May damage fertility. May damage the unborn child.

H362 May cause harm to breast-fed children.

H372 Causes damage to organs through prolonged or repeated exposure.

EUH201A Warning! Contains lead.

- **Department issuing SDS:** Product Safety Department

- **Contact:** Hr. Dörr

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)

GB



STANNOL

Page 8/8

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.04.2023

Version number 3.5 (replaces version 3.4)

Revision: 19.04.2023

Trade name: Loetlegierung Stratoloy Sn64Pb36
Loetlegierung Stratoloy Sn63Pb37
Loetlegierung Stratoloy Sn60Pb40

(Contd. of page 7)

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Repr. 1A: Reproductive toxicity – Category 1A
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

GB